

# SAFETY DATA SHEET

## SECTION 1: Identification

Product Name: FORM #810 927 A COMP Product Code: 810 927 A

Trade Name: 927 PART A

Emergency phone

**Supplier and manufacturer:**

MADEWELL PRODUCTS CORPORATION  
7561 INDUSTRIAL COURT  
ALPHARETTA GA 30004  
PHONE: 770-475-8199  
FAX: 770-475-8167

PERS 800-633-8253

## SECTION 2: Hazard(s) Identification

### GHS Ratings:

Skin corrosion/irritation	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Serious eye damage/eye irritation	2A	Eye irritant: Subcategory 2A, Reversible in 21 days
Respiratory sensitization	1	Respiratory sensitizer
Skin sensitization	1	Skin sensitizer
Carcinogenicity	1B	Presumed Human Carcinogen, Based on demonstrated animal carcinogenicity

### GHS Hazards

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H350	May cause cancer

### GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P285	In case of inadequate ventilation wear respiratory protection
P321	Specific treatment (see instructions on this label)
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P332+P313	If skin irritation occurs: Get medical advice/attention
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P337+P313	If eye irritation persists, get medical advice/attention
P342+P311	Call a POISON CENTER or doctor/physician
P405	Store locked up

**Signal Word: Danger****SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS number	Weight Concentration %
BISPHENOL-A/EPICHLOROHYDRIN EPOXY RESIN	25068-38-6	80.00% - 90.00%
GLYCIDYL ETHER C12-C14 ALCOHOLS	68609-97-2	10.00% - 20.00%

**SECTION 4: First Aid Measures**

**Inhalation:** Move person to fresh air. Get medical attention if symptoms develop.

**Eye contact:** Bathe the eye with running water for at least 15 minutes, lifting upper and lower eyelids. Get medical attention if symptoms persist.

**Skin contact:** Drench the affected area immediately with plenty of water, remove contaminated clothing. Wash thoroughly with soap and water for at least 15 minutes. Seek medical attention if irritation, rash, or other adverse effects occur.

**Ingestion:** DO NOT induce vomiting; rinse mouth then drink plenty of water; get medical attention if symptoms persist.

**Most important symptoms and effects, both acute and delayed**

Skin irritation, allergic reactions.

**SECTION 5: Fire Fighting Measures**

Flash Point: 142 C (288 F)

LEL: N/A

UEL: N/A

**Extinguishing media:** Carbon dioxide, alcohol resistant foam, dry chemical, water fog; use water spray to cool fire-exposed containers. Do not use direct water stream which may spread fire.

**Unusual fire/ expl. hazards:** Exposure to decomposition products may be harmful to health; combustion products may include but are not limited to: carbon monoxide, carbon dioxide, phenolics; smoke may contain particles of the original material as well. Prevent fire-fighting waters from entering sewer or waterways.

**Fire equipment:** Use protective fire fighting clothing and positive pressure self-contained breathing apparatus to protect against potential harmful and/or irritating fumes. Do not use high volume water jet as this may spread the area of the fire.

**SECTION 6: Accidental Release Measures**

**Personal precautions, protective equipment and emergency procedures**

Isolate area; ensure adequate ventilation; use appropriate personal protection equipment; avoid breathing mist, vapors, spray; avoid contact with skin, eyes and clothing; keep unnecessary and unprotected personnel from entering the involved area.

**Environment precautions;**

Prevent contamination of soil and water. Prevent from spreading or entering into drains ditches, waterways by using sand, earth or appropriate barriers.

**Method and material for containment and cleaning up**

Absorb with sand, diatomaceous earth or universal binders and collect into suitable disposal container. Dispose of in accordance with applicable local and federal environmental control laws and regulations.

**SECTION 7: Handling and Storage**

**Precautions for safe handling**

Ensure adequate ventilation of workplace and storage areas; avoid skin contact; do not breathe mist, vapors, spray; use recommended personal protective equipment; wash thoroughly after handling. Do not eat, drink or smoke in the work area. Avoid use of electric band heaters (failures of such heaters have been reported to cause drums of liquid epoxy resin to explode and catch fire). Never apply a direct flame to any container of product.

**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated place. Keep away from incompatible materials, Keep container tightly closed. Recommended storage temperature: 10-35C (50-95F)

<b>SECTION 8: Exposure Controls/Personal Protection</b>
---

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
BISPHENOL-A/EPICHLOROHYDRIN EPOXY RESIN 25068-38-6	Not Established	Not Established	Not Established
GLYCIDYL ETHER C12-C14 ALCOHOLS 68609-97-2	Not Established	Not Established	Not Established

Occupational exposure limits: OSHA/PEL: None established.

Ensure adequate ventilation through local exhaust.

Follow good industrial workplace practices; do not eat, drink or smoke while handling; wash hands before breaks and at end of workshift; follow recommendations in this SDS.

**Eye/face protection**

Use safety glasses with side shields.

**Skin protection**

Wear impervious clothing as necessary to protect against product contact,. Necessity for boots, apron, face shield, etc. will be dependent on any hazards presented in the work process.

**Respiratory protection**

Although no exposure limits have been established, respiratory protection may be of use if any respiratory irritation or discomfort is noted; if the material is processed at elevated temperatures without adequate ventilation it may be necessary to wear an air-purifying respirator with organic vapor cartridge; respirator use should follow the guidelines of an established respiratory protection program in compliance with 29CFR1910.134.

**Hand protection**

Wear nitrile rubber, nitrile, neoprene, PVC or other suitable impervious gloves. Gloves selected must have a breakthrough rating appropriate for the work shift.

**Other protective equipment**

The type and degree of personal protective equipment appropriate will depend on the specific work operation. Eye wash stations and emergency showers should be available.

<b>SECTION 9: Physical and Chemical Properties</b>
--

**Physical state:** Viscous liquid

**Initial Boiling Point:** 200C

**Melting Point:** Not applicable

**Type of Odor:** Slight ethereal odor

**Odor Threshold:** Not determined

**Flammability Classification:** Combustible III B

**Flash Point:** 252C (486F) (PMCC)

**Vapor Pressure:** <0.001 mmHg@32C

**Vapor Density:** >1

**Evaporation Rate:** <1

**Decomposition Temperature:** >200C

**Solubility in Water:** Insoluble

**pH:** Approximately neutral (1:1 in water)

**Octanol/Water Partition Coefficient (log Pow):** 3

**Autoignition Temperature:** >300C (>572F)

**Specific Gravity:** 1.594 at 20C

**Viscosity:**

<b>Boiling Point 218 °C</b>	
-----------------------------	--

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

No dangerous reaction is known under normal use and storage conditions.

**Stability:** Stable under normal use and storage conditions.

### Possibility of hazardous reactions:

**Conditions to avoid:** Elevated temperatures

**Materials to avoid:** Strong oxidizing agents

**Hazardous decomposition products:** By fire: carbon monoxide, aldehydes

STABLE

Hazardous polymerization will not occur.

## SECTION 11: Toxicological Information

**Acute Oral Toxicity:** LD50(rat): >5000 mg/kg

**Acute Dermal Toxicity:** LD50(rabbit); 20,000 mg/kg

**Skin Corrosion/irritation (rabbit):** Causes slight skin irritation

**Serious Eye Damage eye Irritation (rabbit):** Causes serious eye irritation; corneal injury is not likely.

### Mixture Toxicity

#### Component Toxicity

25068-38-6	BISPHENOL-A/EPICHLOROHYDRIN EPOXY RESIN Oral LD50: 5,000 mg/kg (RAT)
68609-97-2	GLYCIDYL ETHER C12-C14 ALCOHOLS Dermal LD50: 4,500 mg/kg (RABBIT)

**Skin:** Causes mild skin irritation; may cause sensitization; once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

**Eyes:** Causes serious eye irritation; pain, irritation, watering, redness.

**Ingestion:** Low toxicity; incidental ingestion of small amounts not anticipated to be harmful.

**Inhalation:** Low volatility; not expected to be a significant route of exposure.

**Specific Target Organ Toxicity - single exposure (STOT-se):** Not classified based on available data.

**Specific Target Organ Toxicity - repeated exposure (STOT-re):** Not classified based on available data.

### Effects of Overexposure

**Carcinogenicity:** Not Classified based on available data., Not listed by IARC,NTP,OSHA

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
-------------------	--------------------	-----------------	--------------------------

**Potential Chronic Health Effects:** 90 day (rat) Repeated Dose Oral Toxicity Study NOAEL: 50 mg/kg

## SECTION 12 - ECOLOGICAL INFORMATION

### Acute/prolonged toxicity to fish

LC50 (Fathead minnow) (96-hr): 3.1 mg/l

### Acute/prolonged toxicity to aquatic invertebrates

EC50 (Daphnia magna) (24-hr): 3.6 mg/l

### Acute/prolonged toxicity to aquatic plants

No data available

### Toxicity of bacteria, to soil dwelling organisms and to terrestrial plants

No Data available

**Chronic toxicity to aquatic organisms**

No data available

**General effect**

Note that product is essentially water insoluble; not expected to present a marine hazard

**Persistence and degradability**

Biodegradation rate: 5% after 28 days (not readily biodegradable)

**Bioaccumulative potential**

BCF = 31, Log Pow = 3 (low potential to bioaccumulate in aquatic organisms)

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment (EC reg. 453/2010)**

Not classified as persistent, bioaccumulative and toxic

Not classified as very persistent or very bioaccumulative

**Component Ecotoxicity****SECTION 13 - DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal:** Do not dump to ground, sewers or watercourses. Reuse uncontaminated material when possible. All methods of disposal must be in compliance with all applicable federal, state and local environmental control laws and regulations. Waste characterization according to RCRA guidelines and compliance with applicable laws are the responsibility solely of the waste generator.**Container disposal:** Containers should be drained of all residual product prior to disposal; empty/clean containers should be recycled; incinerate or landfill when recycling is not feasible.**SECTION 14 - TRANSPORT INFORMATION****Shipping description****DOT:** Not regulated as hazardous for transport**IMDG:**

UN3082 Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)

**Hazard Class:** 9**Packing Group:** PG III**EmS No.:** F-A, S-F**Cargo/passenger Packing Instruction:** 964**Additional Information:** MARINE POLLUTANT

Classification of the material for transportation purposes may vary by container volume as well as regional or country variations in regulations.

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
---------------	-----------------------------	------------------	----------------------	---------------------

**SECTION 15 - REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****SARA Title III Section 311/312 (40CFR370):** Acute health hazard**SARA Title III Section 313 (40CFR372):** No reportable components**CERCLA Statue (40CFR302):** No reportable quantity components**TSCA Inventory Status:** Reported/included**Canadian DSL Status:** Reported/included**Canadian WHMIS Classification:** D2B**Chemicals known to the State of California to cause cancer or reproductive toxicity:** THIS PRODUCTS CONTAINS ePICHLOROHYDRIN cas# 106-89-8 (10 ppm maximum).

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
----------------	-------------------	------------------------------

**SECTION 16 - OTHER INFORMATION**

**HMIS ratings:**

**Health 2**

**Flammability 1**

**Reactivity 0**

(Personal protective equipment selection is best assigned by the user after performing a hazard assessment on the product as it is to be used in the specific work process.)

This information or recommendations contained herein are based on standard product and are proprietary and furnished solely for the use of our customers. This information is provided in good faith and believed to be true and accurate as of the date shown below; however since we have no control over the use conditions or production processes of parties using this product, Madewell Products Corp. cannot accept responsibility for loss, injury or other damages resulting from the use of the product or this or any other information provided by us. Therefore, no guarantees of any kind expressed or implied are made by Madewell Products Corp. with regard to any of their products. Users are advised to perform their own tests and hazard assessments to determine the safety, suitability and relevance of applicable law to the product as it is to be used by them.

**Hazardous Material Information System (HMIS)**

<b>HEALTH</b>	<input type="text" value="0"/>	<b>HMIS &amp; NFPA Hazard Rating</b> <b>Legend</b> * = Chronic Health Hazard <b>0 = INSIGNIFICANT</b> <b>1 = SLIGHT</b> <b>2 = MODERATE</b> <b>3 = HIGH</b>
<b>FLAMMABILITY</b>	<input type="text" value="0"/>	
<b>PHYSICAL HAZARD</b>	<input type="text" value="0"/>	
<b>PERSONAL PROTECTION</b>	<input type="text"/>	

Reviewer Revision

Date Prepared: 3/27/2025

# SAFETY DATA SHEET

## SECTION 1: Identification

Product Name: FORM #741 927 B COMP Product Code: 741 927 B

**MANUFACTURER:**

Madewell Products Corporation  
7561 Industrial Court  
Alpharetta GA 30004  
Phone: (770) 475-8199

**EMERGENCY PHONE: PERS 1-800-633-8253**

## SECTION 2: Hazard(s) Identification

### GHS Ratings:

Flammable liquid	4	Flash point $\geq 60^{\circ}\text{C}$ ( $140^{\circ}\text{F}$ ) and $\leq 93^{\circ}\text{C}$ ( $200^{\circ}\text{F}$ )
Acute Toxicity - Inhalation	2	Gases $>100+\leq 500\text{ppm}$ , Vapors $>0.5+\leq 2\text{mg/l}$ , Dusts&mists $>0.05+\leq 0.5\text{mg/l}$
Skin corrosion/irritation	1A	Destruction of dermal tissue: Exposure $< 3$ min. Observation $< 1$ hour, visible necrosis in at least one animal
Serious eye damage/eye irritation	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$
Skin sensitization	1	Skin sensitizer


### GHS Hazards

H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled

### GHS Precautions

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash hands thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P284	Wear respiratory protection
P310	Immediately call a POISON CENTER or doctor/physician
P320	Specific treatment is urgent (see ... on this label)
P321	Specific treatment (see instructions on this label)
P363	Wash contaminated clothing before reuse
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P302+P352	IF ON SKIN: Wash with soap and water
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P370+P378	In case of fire: Use ... for extinction
P405	Store locked up
P403+P233	Store in a well ventilated place. Keep container tightly closed

**Signal Word: Danger**



**SECTION 3: Composition/Information on Ingredients**

Chemical Name	CAS number	Weight Concentration %
POLYOXYPROPYLENE DIAMINE	9046-10-0	30.00% - 40.00%
BENZYL ALCOHOL	100-51-6	30.00% - 40.00%
ISOPHORONEDIAMINE	2855-13-2	20.00% - 30.00%

**SECTION 4: First Aid Measures**

**INHALATION:** Move person to fresh air and keep at rest in a position for breathing; if breathing is irregular, provide artificial respiration; if there are breathing difficulties, administer oxygen; get medical attention.

**EYE CONTACT:** Bathe the eye with running water for at least 15 minutes, lifting upper and lower eyelids. Get medical attention immediately.

**SKIN CONTACT:** Rinse immediately with plenty of water; remove contaminated clothing; wash thoroughly with soap and water for at least 15 minutes. If irritation, rash or other adverse effects develop, get medical attention immediately.

**INGESTION:** Do NOT induce vomiting unless advised by a physician. Rinse out mouth with water. Call nearest Poison Control Center or physician immediately.

**Most important symptoms and effects, both acute and delayed.** Harmful in contact with skin, if swallowed or inhaled; can cause severe skin burns and eye damage; may cause an allergic skin reaction.

**Indication of any immediate medical attention and special treatment needed.**

Treat symptomatically.

Eye wash stations and emergency showers should be available.

**SECTION 5: Fire Fighting Measures**

Flash Point: 93 C (199 F)

LEL: 1.0%

UEL: 5.0%

**Extinguishing Media**

Carbon dioxide, alcohol resistant foam, dry chemical, water fog; use water spray to cool fire-exposed containers.

**Special hazards arising from the substance or mixture**

Product may ignite if heated in excess of its flash point. Vapors may travel to sources of ignition and flash back. Vapor concentrations in enclosed areas may ignite explosively. Empty containers may contain ignitable vapors. Exposure to decomposition products may be harmful to health; combustion products may include but are not limited to: carbon monoxide carbon dioxide, nitrogen oxides; the formation of hydrocarbon fragments is possible in the initial stages of fire; smoke may contain particles of the original material as well. Prevent fire-fighting waters from entering sewer or waterways.

**Advice for fire fighters:** Use protective fire fighting clothing and positive pressure self contained breathing apparatus to protect against potential harmful and/or irritating fumes. Do not use high pressure water jet as this may spread the area of the fire.

**SECTION 6: Accidental Release Measures**

**Personal precautions**

Isolate area; ensure adequate ventilation; remove all sources of ignition; use appropriate personal protection equipment; avoid breathing mist, vapors, spray; avoid contact with skin, eyes and clothing; keep unnecessary and unprotected personnel from entering the involved area.

**Environmental precautions**

Halt the flow of materials as soon as practical using appropriate barriers; turn containers leak-side up to stop the escape of liquid. Prevent contamination of soil and water. Prevent from spreading or entering into drains, ditches, waterways by using sand, earth or

appropriate barriers.

**Methods and material for containment and clean up**

Soak up with sand, earth, diatomaceous earth or other suitable inert absorbent materials; collect into suitable waste disposal containers. Reuse uncontaminated material when possible. Wash spillage site with large amounts of water, Dispose of in accordance with applicable local and federal environmental control laws and regulations.

**SECTION 7: Handling and Storage**

**Precautions for safe handling**

Ensure adequate ventilation. Prevent inhalation of vapor, ingestion, and contact with skin, eyes and clothing. Keep containers closed when not in use. Precautions apply to empty containers as well. Do not eat, drink, or smoke in the work area. Wash thoroughly after handling. Personal protective equipment must be worn during maintenance or repair of mixers, reactors or other equipment containing the material.

**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry area with adequate ventilation. Do not store with strong oxidizing agents.

**SECTION 8: Exposure Controls/Personal Protection**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
POLYOXYPROPYLENE DIAMINE 9046-10-0	Not Established	Not Established	Not Established
BENZYL ALCOHOL 100-51-6	Not Established	Not Established	Not Established
ISOPHORONEDIAMINE 2855-13-2	Not Established	Not Established	Not Established

**Engineering controls:**

Follow good industrial workplace practices; do not eat, drink or smoke while handling; wash hands before breaks and at end of workshift; follow recommendations in this SDS.

**Environmental exposure controls**

Observe all precautions to prevent contamination of soil and waterways.

**Eye/face protection**

Wear tight-fitting chemical safety goggles and/or face shield to prevent eye contact.

**Skin protection**

Wear impervious clothing as necessary to protect against product contact. Necessity for boots, apron, face shield, etc. will be dependent on any hazards presented in the work process.

**Respiratory protection**

Respiratory protection is required wherever exposure limits are exceeded; use a NIOSH approved organic vapor cartridge respirator following the guidelines of an established respiratory protection program in compliance with 29CFR1910.134

**Hand protection**

Use suitable impervious neoprene or nitrile rubber gloves. When prolonged or frequently repeated contact may occur, glove material should have a breakthrough time that exceeds 480 minutes; when only brief contact is expected, a glove with a lesser breakthrough rating may be suitable.

**Other protective equipment**

The type and degree of personal protective equipment appropriate will depend on the specific work operation. Eye wash stations and emergency shower should be available. Inspect and replace personal protective equipment at regular intervals; use professional care in their selection, use and care

**SECTION 9: Physical and Chemical Properties**

**Boiling Point:** No data available  
**Melting Point:** Not determined  
**Flammability Classification:** Combustible III B  
**Flash Point:** >93C (>200F) (cc)  
**Autoignition Temperature:** No data available  
**Decomposition Temperature:** No data available  
**Flammability Limits:** No data available  
**Vapor Pressure:** No data available  
**Vapor Density(Air=1):** >1  
**Evaporation Rate(BuAc=1):** <1  
**Octanol/Water Partition Coefficient (log Pow):** Not determined  
**Specific Gravity:** 1.03  
**Bulk Density:** Not determined  
**Water solubility:** Negligible  
**pH:** Alkaline  
**Viscosity:** Not determined  
**Explosive Properties:** Not determined  
**Oxidizing Properties:** Not determined  
**Molecular Formula:** Mixture  
**Average Molecular Weight (Daltons):** No data

<b>Boiling Range</b> 203 to 247 °C
---------------------------------------

#### SECTION 10: STABILITY AND REACTIVITY

STABLE

**Reactivity:** No dangerous reaction is known under normal use and storage conditions.

**Stability:** Stable under normal use and storage conditions.

**Possibility of hazardous reactions:** Mixtures with strongly acidic and strongly alkaline materials may produce an exothermic reaction.

**Conditions to avoid:** Avoid elevated temperatures and sources of ignition.

**Incompatible materials:** Acids, oxidizing agents, epoxies, isocyanates.

**Hazardous decomposition products:** Thermal decomposition will generate carbon monoxide, carbon dioxide and nitrogen oxides.

Hazardous polymerization will not occur.

#### SECTION 11: Toxicological Information

**Information on toxicological effects**

**Acute Oral Toxicity:** LD50(rat): 1300 mg/kg (ATE)

**Acute Dermal Toxicity:** LD50(rabbit): 1940 mg/kg (ATE)

**Acute Inhalation Toxicity:** >5.01mg/l

**Skin Corrosion/Irritation:** Causes severe skin burns and eye damage.

**Serious Eye Damage/Irritation:** Causes serious eye damage.

**Skin Sensitization (guinea pig):** May cause an allergic skin reaction.

**Germ cell Mutagenicity:** Not classified as mutagenic.

**Reproductive Toxicity:** Not classified as reproductive toxin.

**Specific Target Organ Toxicity - single exposure:** Product not classified based on available data.

**Specific Target Organ Toxicity - repeated exposure:** Product not classified based on available data.

**Aspiration Hazard:** Possible aspiration hazard alkaline).

**Potential Health Effects:**

**Skin Contact:** Corrosive; harmful in contact with skin; may cause itching, reddening, inflammation. May cause severe burns, blistering and skin damage; may cause an allergic reaction.

**Eye Contact:** Contact with vapors or liquid may cause tearing, blurred vision, severe irritation, possible chemical burns and corneal injury.

**Ingestion:** Harmful if swallowed; can cause severe and permanent damage to mouth, throat and stomach, may cause injury to the liver and kidneys.

**Inhalation:** harmful if inhaled; can cause moderate to severe irritation of the respiratory tract.

**Chronic Health Effects:**

May cause sensitization by contact. Prolonged skin contact may cause irritation, rash, burns or dermatitis; repeated overexposure to vapors and/or liquid may injure the liver, kidneys and respiratory system. May aggravate individuals sensitized to amines.

**Mixture Toxicity**

**Inhalation Toxicity LC50: 2mg/l**

**Component Toxicity**

9046-10-0

POLYOXYPROPYLENE DIAMINE

Oral LD50: 2,885 mg/kg (RAT) Dermal LD50: 2,980 mg/kg (RABBIT) Inhalation LC50: 1 mg/L (RAT)

**Effects of Overexposure**

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			N/A

**SECTION 12 - ECOLOGICAL INFORMATION**

**Toxicity**

**Acute/prolonged toxicity to fish:**LC50(Lepomis macrochirus)(96-hr): 16 mg/l (ATE)

**Acute/prolonged toxicity to aquatic invertebrates:** EC50 (Daphnia magna)(48-hr): 35 mg/l (ATE)

**Acute/prolonged toxicity to aquatic plants:** EC50 (Green algae)(72-hr): >50 mg/l (ATE)

**Toxicity to bacteria, to soil dwelling organisms and to terrestrial plants:** No data available

**Chronic toxicity to aquatic organisms:** No data available

**General effect:** Harmful to aquatic life with long lasting effects.

**Persistence and degradability:** Not expected to be readily biodegradable

**Bioaccumulative potential:** One or more products components has a low potential to bioaccumulate

**Mobility in soil:** No data available; do not allow product to enter soil/subsoil

**Results of PBT and vPvB assessment (EC reg. 453/2010):** Product not classified as Persistent, Bioaccumulative and Toxic

Product not classified as very Persistent or very Bioaccumulative

**Other adverse effects:** No other adverse effects are identified

**Component Ecotoxicity**

**SECTION 13 - DISPOSAL CONSIDERATIONS**

**Disposal:** Do not dump to ground, sewers or watercourses. Incinerate or otherwise dispose of in compliance with all applicable federal, state and local environmental control laws and regulations. Waste characterization according to RCRA guidelines and compliance with applicable laws are the responsibility solely of the waste generator.

**Container Disposal:** Containers should be drained of all residual product prior to disposal.

**SECTION 14 - TRANSPORT INFORMATION**

**DOT, IMDG, AND IATA Proper Shipping Description:** UN1760, Corrosive Liquids NOS (contains polyoxypropylene and modified amine)

Hazard Class 8 PG III

|

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
---------------	-----------------------------	------------------	----------------------	---------------------

**SECTION 15 - REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**SARA Title III Section 311/312 (40CFR370):** Acute health hazard

**SARA Title III Section 313 (40CFR372):** No reportable components

**CERCLA Status (40CFR302):** No reportable components

**RCRA Status (40CFR261):** Not listed

**OSHA/NTP/IARC Carcinogen Status:** Not listed

**TSCA Inventory Status:** Reported/included

**Canadian DSL Status:** Reported/included

**Canadian WHMIS Status:** D2B,E

**Chemicals known to the state of California to cause cancer or reproductive toxicity:** None known to be in the product at levels requiring a warning

**Chemical safety assessment:** Not available

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
----------------	-------------------	------------------------------

**SECTION 16 - OTHER INFORMATION**

**HMIS ratings:**

Health: 3

Flammability: 1

Reactivity: 0

**Hazardous Material Information System (HMIS)**

HEALTH	2	<b>HMIS &amp; NFPA Hazard Rating Legend</b> * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH
FLAMMABILITY	2	
PHYSICAL HAZARD	2	
PERSONAL PROTECTION		

THE INFORMATION OR RECOMMENDATIONS CONTAINED HEREIN ARE BASED ON STANDARD PRODUCT AND ARE PROPRIETARY AND FURNISHED SOLELY FOR THE USE OF OUR CUSTOMERS. THIS INFORMATION IS PROVIDED IN GOOD FAITH AND BELIEVED TO BE TRUE AND ACCURATE AS OF THE DATE SHOWN BELOW; HOWEVER, SINCE WE HAVE NO CONTROL OVER THE USE CONDITIONS OR PRODUCTION PROCESSES OF PARTIES USING THIS PRODUCT, MADEWELL PRODUCTS CORPORATION CANNOT ACCEPT RESPONSIBILITY FOR LOSS, INJURY OR OTHER DAMAGES RESULTING FROM THE USE OF THE PRODUCTS OR THIS OR ANY OTHER INFORMATION PROVIDED BY US. THEREFORE, NO GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED, ARE MADE BY MADEWELL PRODUCTS CORPORATION WITH REGARD TO ANY OF THEIR PRODUCTS. USERS ARE ADVISED TO PERFORM THEIR OWN TESTS AND HAZARD ASSESSMENTS TO DETERMINE THE SAFETY, SUITABILITY AND RELEVANCE OF APPLICABLE LAW TO THE PRODUCTS AS IT IS TO BE USED BY THEM.

Reviewer Revision

Date Prepared: 3/27/2025